



The Warmest Aussie Legend

# TRUST ONLY GENUINE COONARA WOODHEATERS






We have been proudly manufacturing in Australia for over 34 years.

Woodheaters have been the key to our business growth since the mid 1980's. Over the years our manufacturing of Woodheaters has employed hundreds of locals and contributed significantly to the local community - this is something we are extremely proud of. The acquisition of the Coonara brand in 2001 was made possible due to our earlier success in our contract manufacturing of Woodheaters and we are really excited about the newly introduced technologies that deliver Coonara Woodheaters with high efficiency heating and low emissions. This is a major step in the right direction for our environment.

Of course none of our success could be achieved without the support and dedication of our fantastic staff. We are a proud Australian manufacturer and we are proving that locally manufactured products can successfully compete with imported products. Your support is critical in helping keep the Australian manufacturing industry safe. We thank you for your continued support of Australian made Coonara Woodheaters. They really are an Aussie icon.

Yours sincerely  
  
Eric Woodgate  
Managing Director



# COMPACT FREESTANDING



**HIGH EFFICIENCY**  
60.3%

**LOW EMISSIONS**  
1.2g/kg

The best things come in small packages.

This was the vision that fuelled the creation of the Coonara Compact freestanding woodheater – to create a compact heater that was ideal for use in smaller spaces in terms of size and aesthetic appeal, with the ability to provide comfort and warmth for living areas up to 10 squares.\*

The Compact freestanding heater achieves these expectations and is the benchmark in the evolution of compact woodheaters.

#### Where tradition meets innovation.

- Australian made and owned
- Glass size 410mm wide 230mm high
- Optional 3 speed fan
- Standard Colour – charcoal
- Optional Stove Bright colours available



## The Warmest Aussie Legend

Every new Coonara woodheater represents the next step in the tradition of the Warmest Aussie Legend.

More than just another woodheater, every Coonara woodheater continues the legacy of Australia's most well known woodheating brand.

Distinctly styled Coonara woodheaters have set the pattern for others to follow.

The evolution of Coonara woodheaters is demonstrated by the current range, where innovation meets tradition and form and function deliver efficiency and pleasure.

A Coonara Woodheater is special, it is The Warmest Aussie Legend.

**Front cover:** Features MIDI Stainless Steel Model



# MIDI FREESTANDING

Stunning looks and performance are trademarks of the Coonara Midi freestanding woodheater.

A stylish and distinctive mid range woodheater, the Midi freestanding heater heats up to 20 squares\* and will become a design feature in your home.

## Where tradition meets innovation.

- Australian made and owned
- Glass size 430mm wide 225mm high
- 3 speed fan included
- Standard Colour – charcoal
- Optional Stove Bright colours available
- Optional stainless steel pedestal and heater side panels with chrome door caps



# SETTLER C500



HIGH EFFICIENCY

72%

LOW EMISSIONS

1.3g/kg

Spend more time enjoying and less time cleaning with the Settler C500. It heats and burns cleanly like a space heater, yet it has all the character and warmth of a traditional log fire. With a large self-cleaning viewing window, cast iron liners and 3 speed fan, it can heat up to 22 squares\* of open living area.

Where tradition meets innovation.

- Australian made and owned
- Glass size 433mm wide 312mm high
- 3 speed fan included
- Standard Colour – charcoal
- Side panels come plain or with trees



# SETTLER C500 RANCH

HIGH EFFICIENCY

72%

LOW EMISSIONS

1.3g/kg



The Settler C500 Ranch is the latest edition to the Coonara range. A good size heater to heat up to 22 squares with an added bonus of a storage area at the bottom to keep your wood handy and dry.

**Where tradition meets innovation.**

- Australian made and owned
- Glass size 433mm wide 312mm high
- 3 speed fan included
- Standard Colour – charcoal
- Side panels come plain or with trees



# MEDIUM FREESTANDING

HIGH EFFICIENCY

67%

LOW EMISSIONS

0.8g/kg



Lounge in comfort as the ultra smooth and quiet Coonara Medium freestanding woodheater efficiently warms up your home.

Small enough to fit beautifully into most homes with the power to heat up to 25 squares\*.

#### Where tradition meets innovation.

- Australian made and owned
- Glass size 430mm wide 225mm high
- 3 speed fan included
- Standard Colour – charcoal
- Optional Stove Bright colours available
- Optional stainless steel pedestal, heater side panels with chrome door caps

**COONARA**  
The Warmest Aussie Legend



# FIRELITE



**HIGH EFFICIENCY**  
60%

**LOW EMISSIONS**  
1.1g/kg

Created for the King and Queen's castle.

A big Bay Window heater for big homes.

Indulge yourself with the biggest woodheater in your street, perhaps state.

One of the rewards of having a large home is the ability to enjoy your home in sheer comfort. Indulge yourself in the special ambience that is created by the Coonara Firelite.

Heating up to 32 squares\*. You may choose to move to the next room and the Coonara Firelite will still keep you warm.

**Where tradition meets innovation.**

- Australian made and owned
- Glass size 570mm wide 310mm high
- 3 speed fan included
- Standard Colour – charcoal
- Optional Stove Bright colours available

# SETTLER C600



**HIGH EFFICIENCY**

**55.6%**

**LOW EMISSIONS**

**2.0g/kg**

The Settler C600 makes woodheating easy. It heats and burns cleanly like a space heater, yet it has all the character and warmth of a traditional log fire. With a large self cleaning viewing window, cast iron liners and 3 speed fan, it can heat up to 30 squares\* of open living area.

#### Where tradition meets innovation.

- Australian made and owned
- Glass size 562mm wide 312mm high
- 3 speed fan included
- Standard Colour – charcoal
- Side panels come plain or with trees



# SETTLER C600 RANCH



HIGH EFFICIENCY

55.6%

LOW EMISSIONS

2.8g/kg

The new Settler 600 Ranch is the latest edition into the Coonara family. This heater will not only heat up to 30 squares of open plan living, but will add style and appeal to any household, with the added bonus of storing your wood underneath, means you don't have to venture outside on those cold & chilly nights.

#### Where tradition meets innovation.

- Australian made and owned
- Glass size 562mm wide 312mm high
- 3 speed fan included
- Standard Colour – charcoal
- Side panels come plain or with trees



# COMPACT INBUILT



**HIGH EFFICIENCY**  
58%

**LOW EMISSIONS**  
0.7g/kg

The Stunning Compact Inbuilt combines elegant design with space efficiency and outstanding warmth.

A compact woodheater that is ideal for use in smaller spaces in terms of size, it looks aesthetically appealing in both contemporary and traditional homes and has the ability to heat up to 10 squares\*.

#### Where tradition meets innovation.

- Australian made and owned
- Glass size 410mm wide 230mm high
- 3 speed fan included
- Standard Colour – charcoal
- Optional Stove Bright colours available



**HIGH EFFICIENCY**  
66%

**LOW EMISSIONS**  
1.3g/kg

# SETTLER I500



The Settler I500 is a stylish heater that heats up to 22 squares\* and will enhance any fireplace. With a large self-cleaning viewing window, cast iron liners and 3 speed fan, it will provide optimum warmth.

#### Where tradition meets innovation.

- Australian made and owned
- Glass size 433mm wide 312mm high
- 3 speed fan included
- Standard Colour – charcoal
- Optional Stove Bright colours available



# SETTLER I600



**HIGH EFFICIENCY**

55.6%

**LOW EMISSIONS**

2.0g/kg

The Settler I600 is a finely crafted woodheater that will heat up to 28 squares\* and will add elegance to your fireplace. With a large self-cleaning viewing window, cast iron liners and 3 speed fan, it will provide optimum warmth.

**Where tradition meets innovation.**

- Australian made and owned
- Glass size 562mm wide 312mm high
- 3 speed fan included
- Standard Colour – charcoal
- Optional Stove Bright colours available



## WHERE TRADITION MEETS INNOVATION

All Coonara woodheaters enjoy the following features:

- 10 year firebox warranty\*
- Patented folded steel firebox
- Full width firebox opening for largest viewing area
- 5mm thick neo ceramic self cleaning glass
- Low clearance to combustible materials for minimum floor space loss
- 3 speed fan on fan assisted models
- One touch easy, effective temperature control

## TESTED AND APPROVED TO:

AS2918 – clearances to combustible materials

AS4012 – power output and efficiency

AS4013 – flue gas emissions


## FUEL REQUIREMENTS

For maximum performance, seasoned, dry hardwood is required. Do not use chemically treated or painted timber.


## COONARA WARRANTY

All current model Coonara woodheaters are warranted to be free from defects on material and workmanship under normal use and service. The warranty of the actual firebox, excluding baffles and liners is 10 years to the initial purchaser. All other components (except accidental breakage of door glass) are warranted for a period of 12 months. For the full warranty statement refer to the Shamic Sheetmetal (Aust) P/ L website [www.shamic.com](http://www.shamic.com), the product installation manual, see point 6 of the installation manual or your Coonara Dealer. Shamic goods come with guarantees that cannot be excluded under Australian Consumer Law. The purchaser is entitled to a replacement or a refund for a major failure and compensation for any reasonably foreseeable loss or damage. The purchaser is also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

## FLUE INSTALLATION DIAGRAM (Freestanding Woodheaters)



## FLUE INSTALLATION DIAGRAM (Inbuilt Woodheaters)



**FLUE KITS** Coonara heaters are designed and tested for use with Coonara approved Flue kits to Australian Standard AS2918 to enable the specified clearances to combustible materials.

**Note:** It is recommended that the flue protrudes a minimum of one metre through the roof.

# NO FIREPLACE NECESSARY


## COONARA SETTLER ZERO CLEARANCE BOX

You can install a Setler woodheater without the need of a conventional brick fireplace and chimney.

The Z Box allows you to install inbuilt woodheaters directly onto a combustible floor using 12mm villaboard.

Detailed installation instructions, with clearances to combustible materials, are available from your Coonara dealer.

Timber framework, partially plaster board cladded



Zero Clearance Box positioned in framework on 12mm sheet



Heater fitted to Zero Clearance Box



**COONARA**  
The Warmest Aussie Legend

**AUSTRALIAN MADE**



The Warmest Aussie Legend

# WOODHEATER TECHNICAL SPECIFICATIONS

|   |                                   | COMPACT FREESTANDING | MIDI        | SETTLER C500 | MEDIUM FREESTANDING | SETTLER C500 RANCH | SETTLER C600 | SETTLER C600 RANCH | FIRELITE | COMPACT INBUILT | SETTLER I500   | SETTLER I600   |
|---|-----------------------------------|----------------------|-------------|--------------|---------------------|--------------------|--------------|--------------------|----------|-----------------|----------------|----------------|
| HEATING CAPACITY UP TO SQUARES          |                                   | 10                   | 20          | 22           | 25                  | 22                 | 30           | 30                 | 32       | 10              | 22             | 28             |
| PARTICULATE EMISSIONS (G/KG)            |                                   | 1.2                  | 1.2         | 1.3          | 0.8                 | 1.3                | 2.0          | 2.0                | 1.1      | 0.7             | 1.3            | 2.0            |
| AVERAGE HEATING EFFICIENCY              |                                   | 60.3                 | 64.0        | 72.0         | 67.0                | 72.0               | 55.6         | 55.6               | 60       | 58              | 66.0           | 55.6           |
| KILOWATT OUTPUT ON HIGH                 |                                   | 7.9                  | 11.8        | 10.2         | 12.9                | 10.2               | 15.9         | 15.9               | 11.7     | 7.6             | 9.9            | 15.9           |
| FIRE BOX DIMENSIONS                     | HEIGHT (mm)                       | 330                  | 380         | 400          | 420                 | 400                | 400          | 400                | 400      | 530             | 595            | 595            |
|   | WIDTH (mm)                        | 430                  | 465         | 470          | 555                 | 470                | 600          | 600                | 600      | 520             | 570            | 695            |
|   | DEPTH (mm)                        | 390                  | 450         | 395          | 445                 | 395                | 435          | 435                | 495      | 395             | 430            | 470            |
| OVERALL DIMENSIONS (mm)                 | HEIGHT (mm)                       | 665                  | 750         | 840          | 825                 | 945                | 850          | 950                | 860      | 640             | 735            | 735            |
|   | WIDTH (mm)                        | 560                  | 625         | 650          | 715                 | 650                | 780          | 780                | 825      | 800             | 980            | 1100           |
|   | DEPTH (mm)                        | 490                  | 545         | 565          | 555                 | 565                | 610          | 560                | 665      | 475             | 530            | 580            |
| BACK OF HEATER TO CENTRE OF FLUE (mm)   |                                   | 150                  | 155         | 165          | 170                 | 165                | 165          | 165                | 200      | 125             | 160            | 160            |
| CLEARANCE TO COMBUSTIBLE MATERIALS (mm) | REAR SIDE CORNER                  | 125                  | <b>175*</b> | <b>75*</b>   | <b>75*</b>          | <b>75*</b>         | 125          | 125                | 150      | ZERO CLEARANCE  | ZERO CLEARANCE | ZERO CLEARANCE |
|   |                                   | 375                  | 450         | 235          | 350                 | 235                | 300          | 300                | 350      | 85              | 25             | 25 2/C         |
|   |                                   | 175                  | 200         | 50           | 200                 | 50                 | 100          | 100                | 50       | 25 (TOP) 65     | 25 (TOP) 200   | 25 (TOP) 200   |
| HEARTH DISTANCE (mm)                    | EITHER SIDE OF DOOR OPENING FRONT | 200                  | 200         | 200          | 200                 | 200                | 200          | 200                | 200      | 200             | 200            | 200            |
|   |                                   | 300                  | 430         | 440          | 300                 | 440                | 500          | 500                | 550      | 450             | 400            | 500            |
| DESPATCH WEIGHT (kg)                    |                                   | 112                  | 135         | 155          | 177                 | 140                | 180          | 180                | 235      | 107             | 143            | 173            |

\* Rear clearance to be fitted with flue shield between the active flue and decromesh casing.

**IMPORTANT:** Heating areas provided are based on open plan living areas and 2.4 metre ceiling height.

**Note:** Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Your Legendary Coonara dealer is:

## ENVIRONMENTAL & EFFICIENCY STANDARDS

Coonara heaters comply with Australian Standards AS/NZS 4012: AS/NZS 4013: Power, Performance and Emissions.



14-18 Research Dve, Croydon Sth. 3136

Tel: (03) 9737 5300 Fax: (03) 9761 6455 A.B.N. 61 007 251 569

[www.shamic.com](http://www.shamic.com)

All of the information contained in this brochure was correct at the time of printing, February 2017. However, the manufacturer reserves the right to make changes to design and specification without notice. You can confirm current designs, specifications, optional extras and financial details by consulting your nearest authorised Coonara dealer.

**Please note:** Due to the nature of the printing process, colours may vary from those shown in this catalogue. Ask your dealer to show you a colour sample.